

**REQUEST TO WAIVE REQUIREMENTS OF THE
CITY OF FRANKLIN SUBDIVISION CONTROL ORDINANCE**

PETITIONER INFORMATION

Case Number: PC 20 13 - 30 (SPR)

Property Address: ¹⁰⁸¹~~1091~~ Hospital Road

Subdivision/Project Name: Johnson County Central Dispatch Building

Petitioner's Name(s): Gregory J. Ilko


Address: 3417 Sherman Drive City: Beech Grove

State: IN Zip: 46107 Phone: 317-780-1555 x 112 Fax: 317-780-6525

Article of Subdivision Control Ordinance: Article 6 - Subdivision Standards

Title of the Article: 6.19 - General Drainage Standards

Reasons: A waiver from the detention requirements is requested as the proposed improvements result in minimal additional impervious area and the project site's vicinity to the floodway of Young's Creek makes the construction and proper functionality of a detention system impractical.


Signature of Petitioner

10.29.13
Date

OFFICE USE ONLY

This Request for a waiver of Article _____ of the City of Franklin Subdivision Control Ordinance has been . . .

Approved

Approved w/ conditions

Denied

...by the City of Franklin Plan Commission on the _____ day of _____, 20 ____.

Signature of Plan Commission President

Date